

# inateck®

## BCS33-HD 3mil Barcode Scanner



### Supports Different Kinds of 1D Barcodes

Barcodes on screens are not supported



Broken



Blurry



Long Barcodes



## Effective Distance up to 40 cm

4-40 cm scan range applicable to more circumstances



01234567890





## Product Specification

Model Number	BCS33-HD
Indication	Buzzer, LED
Interface	USB
Light Source	Laser LED 650 ± 10nm
Applicable Barcodes	Codabar, Code 11, Code 128, Code39, Code 93, EAN-8, EAN-13, ISBN, ISSN, MSI,UPC-A, UPC-E, IATA 25, Industrial 25 / Standard 25, Interleaved 25,Matrix 25, China Postal Code, FedEx, USPS, Code 32, VIN
Resolution	3mil
Decode Rate	220 times/s
Decode Mode	Single-Line Aiming
Print Contrast	20%
Decode Angles	Roll 30°, Pitch 75°, Yaw 80°
Scanning depth of field	4 - 40cm
Scanning width	400mm @ 400mm
Material	ABS+PC+TPU
Dimensions	Length*Width*Height 115mm*69mm*159mm
Scanner Weight	116g
Supply Voltage	5V (+ -5%)
Working Current	190mA
Standby Current	30mA
Compatible Systems	Windows, Mac OS, Linus, Unix, etc.
Safety Authentication	CE, FCC, RoHS

## Packing list

- Inateck BCS33-HD\*1
- USB Cable\*1
- Instruction Manual\*1